



Auburn Manufacturing Inc.
P.O. Box 220
Mechanic Falls, Maine 04256
U.S.A. 1-800-AMI-6689 • 207-345-8271
FAX: 207-345-3380

AMI-SIL

AMI-SIL CLOTH
STYLE# AAS1800G
09/23

STYLE #: AAS1800G

NOMINAL WIDTH: 36"

NOMINAL BASE FABRIC WEIGHT: 18.0 OZ/YD²

NOMINAL FINISHED WEIGHT: 20.0 OZ/YD²

NOMINAL THICKNESS: 0.032"

BASE CLOTH TEMPERATURE RESISTANCE: 1800°F

METALIZED POLYESTER FILM TEMPERATURE RESISTANCE: 450°F

ADHESIVE TEMPERATURE RESISTANCE: 450°F

BASE FABRIC CONTENT: 96% AMORPHOUS SILICA (MINIMUM)

BASE FABRIC WEAVE: 8 HARNESS SATIN

COUNT: WARP: 44
FILL: 34

NOTE: WIDTH OF FINISHED PRODUCTS MAY BE NARROWER DUE TO THE LAMINATION PROCESS.
WIDTH TOLERANCE AFTER LAMINATION IS 33" – 36".

OTHER: MATERIAL SHOULD BE TESTED FOR ITS SUITABILITY IN ANY APPLICATION, PARTICULARLY FLEXING APPLICATIONS AT ELEVATED TEMPERATURES. USERS SHOULD ALSO FAMILIARIZE THEMSELVES WITH THE SDS BEFORE HANDLING.

ALL STATEMENTS HEREIN ARE EXPRESSIONS OF OPINION WHICH WE BELIEVE TO BE ACCURATE AND RELIABLE BUT ARE PRESENTED WITHOUT GUARANTEE OR RESPONSIBILITY ON OUR PART. ANYONE INTENDING TO USE RECOMMENDATIONS CONTAINED IN THIS PUBLICATION CONCERNING EQUIPMENT, PROCESSING TECHNIQUES OR PRODUCTS SHOULD FIRST SATISFY HIMSELF THAT THE RECOMMENDATIONS ARE SUITABLE FOR HIS USE AND MEET ALL APPROPRIATE SAFETY AND HEALTH STANDARDS.

Date of issue: 08/05

Date Revised: 09/22/23

Date Reviewed: 09/22/23

Revision No.: 6

DOCUMENT IS UNCONTROLLED IF PRINTED