



Auburn Manufacturing Inc.  
P.O. Box 220  
Mechanic Falls, Maine 04256  
U.S.A. 1-800-AMI-6689 • 207-345-8271  
FAX: 207-345-3380

## AMI-SIL

ALUMINIZED  
AMI-SIL CLOTH  
STYLE #AAS2400  
09/23

STYLE NO: AAS2400

NOMINAL WIDTH: 36"

NOMINAL BASE FABRIC WEIGHT: 24.0 OZ/YD2

NOMINAL FINISHED WEIGHT: 25.0 OZ/YD2

NOMINAL THICKNESS: 0.040"

BASE CLOTH TEMPERATURE RESISTANCE: 1800°F

METALIZED POLYESTER FILM TEMPERATURE RESISTANCE: 450° F

ADHESIVE TEMPERATURE RESISTANCE: 450°F

BASE FABRIC CONTENT: 96% SILICA (MINIMUM)

BASE FABRIC WEAVE: HERRINGBONE

COUNT: WARP: 30  
FILL: 22

OTHER: MATERIAL SHOULD BE TESTED FOR ITS SUITABILITY IN ANY APPLICATION, PARTICULARLY FLEXING APPLICATIONS AT ELEVATED TEMPERATURES. USERS SHOULD ALSO FAMILIARIZE THEMSELVES WITH THE SDS BEFORE HANDLING.

NOTE: WIDTH OF FINISHED PRODUCTS MAY BE NARROWER DUE TO THE LAMINATION PROCESS.

**WIDTH TOLERANCE AFTER LAMINATION IS 33" - 36".**

---

ALL STATEMENTS HEREIN ARE EXPRESSIONS OF OPINION WHICH WE BELIEVE TO BE ACCURATE AND RELIABLE BUT ARE PRESENTED WITHOUT GUARANTEE OR RESPONSIBILITY ON OUR PART. ANYONE INTENDING TO USE RECOMMENDATIONS CONTAINED IN THIS PUBLICATION CONCERNING EQUIPMENT, PROCESSING TECHNIQUES OR PRODUCTS SHOULD FIRST SATISFY HIMSELF THAT THE RECOMMENDATIONS ARE SUITABLE FOR HIS USE AND MEET ALL APPROPRIATE SAFETY AND HEALTH STANDARDS.

Date of issue: 01/03

Date Revised: 09/22/23

Date Reviewed: 09/22/23

Revision No.: 5

DOCUMENT IS UNCONTROLLED IF PRINTED