



Auburn Manufacturing Inc.  
P.O. Box 220  
Mechanic Falls, Maine 04256  
U.S.A. 1-800-AMI-6689 • 207-345-8271  
FAX: 207-345-3380

## AMI-GLAS

AMI-GLAS CLOTH  
STYLE #AMGL2401  
01/07/2020

MADE IN USA OF DOMESTIC & IMPORTED MATERIALS

STYLE: AMGL2401

BASE FABRIC FINISH: PLAIN OR 9383 (HEAT CLEANED)

NOMINAL WIDTH: 40"

NOMINAL WEIGHT: 26.0 OZ/YD<sup>2</sup>

NOMINAL THICKNESS: 0.042"

BASE FABRIC CONTENT: 100% FIBERGLASS YARNS

BASE CLOTH TEMPERATURE RESISTANCE: 1000°F

ALUMINIZED POLYESTER FILM TEMPERATURE RESISTANCE: 450°F

ADHESIVE TEMPERATURE RESISTANCE: 450°F

WEAVE: PLAIN

COUNT: WARP: 20  
FILL: 11

FABRIC FINISH: ALUMINIZED POLYESTER FILM ON ONE SIDE FOR REFLECTIVITY

OTHER: MATERIAL SHOULD BE TESTED FOR ITS SUITABILITY IN ANY APPLICATION. USERS SHOULD ALSO FAMILIARIZE THEMSELVES WITH THE SDS BEFORE HANDLING.

NOTE: WIDTH OF FINISHED PRODUCTS MAY BE NARROWER DUE TO THE LAMINATION PROCESS

---

ALL STATEMENTS HEREIN ARE EXPRESSIONS OF OPINION WHICH WE BELIEVE TO BE ACCURATE AND RELIABLE BUT ARE PRESENTED WITHOUT GUARANTEE OR RESPONSIBILITY ON OUR PART. ANYONE INTENDING TO USE RECOMMENDATIONS CONTAINED IN THIS PUBLICATION CONCERNING EQUIPMENT, PROCESSING TECHNIQUES OR PRODUCTS SHOULD FIRST SATISFY HIMSELF THAT THE RECOMMENDATIONS ARE SUITABLE FOR HIS USE AND MEET ALL APPROPRIATE SAFETY AND HEALTH STANDARDS.

Date of issue: 10/04

Date Revised: 01/07/2020

Date Reviewed: 01/07/2020

Revision No.: 5

DOCUMENT IS UNCONTROLLED IF PRINTED